

**DiC TOOLS**


A Brand by Dedicated Impex Co.



**ROTARY BURRS**

Product Name	Page No.
Cylindrical Burrs with Radius Cut .....	01
Cylindrical Burrs with End Cut .....	02
Cylindrical Burrs without End Cut .....	03
Tree Shape Rotary Burr with Radius End .....	04
Tree Shape Rotary Burr with Pointed End .....	05
Flame Shape Rotary Burrs .....	06
60° Cone Shape Rotary Burrs .....	07
90° Cone Shape Rotary Burrs .....	08
Inverted Cone Shape Rotary Burrs .....	09
Oval Shape Rotary Burrs .....	10
Ball Shape Rotary Burrs .....	11
Ball Nose Tree Shaped Rotary Burrs .....	12
Ball Nose Cone Shaped Rotary Burrs .....	13
Cone Shaped Rotary Burrs .....	14
Tungsten Carbide Rotary Burrs Set .....	15

# Cylindrical Burrs with Radius Cut



Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l2$ Flute Length	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric							
.1875	3/16"	4.763	1/4"	5/8"	1-3/8"	11.25	10.76	10.27	9.78
.1875	3/16"	4.763	1/4"	5/8"	1-3/8"	11.25	10.76	10.27	9.78
.2500	1/4"	6.350	1/4"	5/8"	1-3/8"	10.58	10.12	9.66	9.20
.2500	1/4"	6.350	1/4"	5/8"	1-3/8"	13.97	13.37	12.76	12.15
.2500	1/4"	6.350	1/4"	5/8"	1-3/8"	10.58	10.12	9.66	9.20
.3125	5/16"	7.938	1/4"	3/4"	1-3/4"	12.35	11.81	11.28	10.74
.3125	5/16"	7.938	1/4"	3/4"	1-3/4"	12.35	11.81	11.28	10.74
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	14.42	13.79	13.17	12.54
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	25.00	23.91	22.83	21.74
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	14.42	13.79	13.17	12.54
.4375	7/16"	11.113	1/4"	1"	1-3/4"	20.86	19.95	19.05	18.14
.4375	7/16"	11.113	1/4"	1"	1-3/4"	20.86	19.95	19.05	18.14
.5000	1/2"	12.700	1/4"	1"	1-3/4"	21.62	20.68	19.74	18.80
.5000	1/2"	12.700	1/4"	1"	1-3/4"	32.87	31.44	30.01	28.58
.5000	1/2"	12.700	1/4"	1"	1-3/4"	21.62	20.68	19.74	18.80
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.6250	5/8"	15.875	1/4"	1"	1-3/4"	45.02	43.07	41.11	39.15
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.7500	3/4"	19.050	1/4"	1"	1-3/4"	42.49	40.65	38.80	36.95
.7500	3/4"	19.050	1/4"	1"	1-3/4"	62.50	59.79	57.07	54.35
.7500	3/4"	19.050	1/4"	1"	1-3/4"	42.49	40.65	38.80	36.95

# Cylindrical Burrs with End Cut



## 1/8" SHANK DIAMETER

Cut Dia	LOC	Shank Dia	Shank Type
1/16	1/4	1/8	A
3/32	-	1/8	A
3/32	7/16	1/8	A
1/8	9/16	1/8	A
1/8	-	1/8	A
1/4	1/2	1/8	C
3/16	1/2	1/8	C


## REGULAR LENGTH

Cut Dia	LOC	Shank Dia	Shank Type
3/32	3/8	3/32	A
1/8	1/2	1/4	A
3/16	5/8	3/16	A
3/16	5/8	1/4	A
1/4	-	1/4	A
1/4	5/8	1/4	A
1/4	1	1/4	A
5/16	3/4	1/4	C
3/8	3/4	1/4	C
3/8	1	1/4	C
7/16	1	1/4	C
1/2	1	1/4	C
5/8	1	1/4	C
3/4	1/2	1/4	C
3/4	3/4	1/4	C
3/4	1	1/4	C
1	1	1/4	C

## LONG LENGTH

Cut Dia	LOC	Shank Dia	Shank Type
1/8	9/16	1/8	A
1/8	9/16	1/8	A
1/4	5/8	1/4	C

# Cylindrical Burrs without End Cut



## 1/8" SHANK DIAMETER

Cut Dia	LOC	Shank Dia	Shank Type
1/16	1/4	1/8	A
3/32	7/16	1/8	A
1/8	9/16	1/8	A
1/8	9/16	1/8	A
1/8	9/16	1/8	A
1/4	1/2	1/8	C
1/4	3/16	1/8	C
3/16	1/2	1/8	C


## LONG LENGTH

Cut Dia	LOC	Shank Dia	Shank Type
1/4	5/8	1/4	A
3/8	3/4	1/4	C
1/2	1	1/4	C

## REGULAR LENGTH


Cut Dia	LOC	Shank Dia	Shank Type
1/8	1/2	1/4	A
3/16	5/8	1/4	A
1/4	5/8	1/4	A
1/4	1	1/4	A
5/16	3/4	1/4	C
3/8	3/4	1/4	C
3/8	1	1/4	C
7/16	1	1/4	C
1/2	1	1/4	C
5/8	1	1/4	C
3/4	1/2	1/4	C
3/4	3/4	1/4	C
3/4	1	1/4	C
1	1	1/4	C

# Tree Shape Rotary Burr with Radius End




Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l2$ Flute Length	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric							
.2500	1/4"	6.350	1/4"	5/8"	2"	11.56	11.06	10.55	10.05
.2500	1/4"	6.350	1/4"	5/8"	2"	17.83	17.05	16.28	15.50
.2500	1/4"	6.350	1/4"	5/8"	2"	11.56	11.06	10.55	10.05
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	13.93	13.32	12.72	12.11
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	22.46	21.48	20.51	19.53
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	13.93	13.32	12.72	12.11
.5000	1/2"	12.700	1/4"	1"	1-3/4"	20.86	19.95	19.05	18.14
.5000	1/2"	12.700	1/4"	1"	1-3/4"	31.79	30.40	29.02	27.64
.5000	1/2"	12.700	1/4"	1"	1-3/4"	20.86	19.95	19.05	18.14
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.6250	5/8"	15.875	1/4"	1"	1-3/4"	44.19	42.27	40.35	38.43
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.7500	3/4"	19.050	1/4"	1-1/4"	1-3/4"	44.48	42.55	40.61	38.68
.7500	3/4"	19.050	1/4"	1-1/4"	1-3/4"	44.48	42.55	40.61	38.68

# Tree Shape Rotary Burr with Pointed End



Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l2$ Flute Length	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric							
.2500	1/4"	6.350	1/4"	5/8"	2"	11.56	11.06	10.55	10.05
.2500	1/4"	6.350	1/4"	5/8"	2"	11.56	11.06	10.55	10.05
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	14.86	14.21	13.57	12.92
.3750	3/8"	9.525	1/4"	3/4"	1-3/4"	14.86	14.21	13.57	12.92
.5000	1/2"	12.700	1/4"	3/4"	1-3/4"	19.90	19.03	18.17	17.30
.5000	1/2"	12.700	1/4"	3/4"	1-3/4"	19.90	19.03	18.17	17.30
.5000	1/2"	12.700	1/4"	1"	1-3/4"	20.57	19.68	18.78	17.89
.5000	1/2"	12.700	1/4"	1"	1-3/4"	20.57	19.68	18.78	17.89
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.6250	5/8"	15.875	1/4"	1"	1-3/4"	28.88	27.62	26.37	25.11
.7500	3/4"	19.050	1/4"	1"	1-3/4"	38.19	36.53	34.87	33.21
.7500	3/4"	19.050	1/4"	1"	1-3/4"	38.19	36.53	34.87	33.21


# Flame Shape Rotary Burrs



Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l2$ Flute Length	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric							
.3125	5/16"	7.938	1/4"	3/4"	1-3/4"	14.12	13.51	12.89	12.28
.3125	5/16"	7.938	1/4"	3/4"	1-3/4"	14.12	13.51	12.89	12.28
.5000	1/2"	12.700	1/4"	1-1/4"	1-3/4"	28.88	27.62	26.37	25.11
.5000	1/2"	12.700	1/4"	1-1/4"	1-3/4"	28.88	27.62	26.37	25.11
.6250	5/8"	15.875	1/4"	1-7/16"	1-3/4"	37.86	36.21	34.57	32.92
.6250	5/8"	15.875	1/4"	1-7/16"	1-3/4"	37.86	36.21	34.57	32.92
.7500	3/4"	19.050	1/4"	1-5/8"	1-3/4"	46.52	44.50	42.47	40.45
.7500	3/4"	19.050	1/4"	1-5/8"	1-3/4"	46.52	44.50	42.47	40.45




# 60° Cone Shape Rotary Burrs




Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric						
.2500	1/4"	6.350	1/4"	1-11/16"	14.54	13.90	13.27	12.64
.2500	1/4"	6.350	1/4"	1-11/16"	14.54	13.90	13.27	12.64
.3750	3/8"	9.525	1/4"	1-3/4"	12.20	11.67	11.14	10.61
.3750	3/8"	9.525	1/4"	1-3/4"	12.20	11.67	11.14	10.61
.5000	1/2"	12.700	1/4"	1-3/4"	15.04	14.39	13.73	13.08
.5000	1/2"	12.700	1/4"	1-3/4"	15.04	14.39	13.73	13.08
.6250	5/8"	15.875	1/4"	1-3/4"	20.04	19.17	18.30	17.43
.6250	5/8"	15.875	1/4"	1-3/4"	20.04	19.17	18.30	17.43
.7500	3/4"	19.050	1/4"	1-3/4"	26.30	25.16	24.01	22.87
.7500	3/4"	19.050	1/4"	1-3/4"	26.30	25.16	24.01	22.87

# 90° Cone Shape Rotary Burrs



Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric						
.2500	1/4"	6.350	1/4"	1-11/16"	14.54	13.90	13.27	12.64
.2500	1/4"	6.350	1/4"	1-11/16"	14.54	13.90	13.27	12.64
.3750	3/8"	9.525	1/4"	1-3/4"	12.20	11.67	11.14	10.61
.3750	3/8"	9.525	1/4"	1-3/4"	12.20	11.67	11.14	10.61
.5000	1/2"	12.700	1/4"	1-3/4"	15.04	14.39	13.73	13.08
.5000	1/2"	12.700	1/4"	1-3/4"	15.04	14.39	13.73	13.08
.6250	5/8"	15.875	1/4"	1-3/4"	20.04	19.17	18.30	17.43
.6250	5/8"	15.875	1/4"	1-3/4"	20.04	19.17	18.30	17.43
.7500	3/4"	19.050	1/4"	1-3/4"	26.30	25.16	24.01	22.87
.7500	3/4"	19.050	1/4"	1-3/4"	26.30	25.16	24.01	22.87
1.000	1"	25.400	1/4"	1-3/4"	42.18	40.35	38.51	36.68
1.000	1"	25.400	1/4"	1-3/4"	42.18	40.35	38.51	36.68

# Inverted Cone Shape Rotary Burrs



## Metric Size

Shank Diameter (in)	Cutter Diameter(d <sub>1</sub> )	Length of Cut(l <sub>2</sub> )	Shank Diameter(d <sub>2</sub> )	Overall Length(l <sub>1</sub> )	Included Angle a
3.0	3.0	4.0	3.0	38.0	10°
	5.0	6.0	3.0	44.0	10°
	6.0	7.0	3.0	45.0	10°
6.0	6.0	7.0	6.0	52.0	10°
	8.0	9.0	6.0	54.0	10°
	10.0	10.0	6.0	55.0	20°
	12.0	13.0	6.0	58.0	20°
	16.0	16.0	6.0	61.0	20°
	19.0	16.0	6.0	61.0	30°
8.0	12.0	13.0	8.0	58.0	20°
	16.0	16.0	8.0	61.0	20°
	19.0	16.0	8.0	61.0	30°

## Inch Size


Shank Diameter (in)	Cutter Diameter(d <sub>1</sub> )	Length of Cut(l <sub>2</sub> )	Shank Diameter(d <sub>2</sub> )	Overall Length(l <sub>1</sub> )	Included Angle a
1/8	1/8	3/16	1/8	1-1/2	10°
1/4	1/4	1/4	1/4	51.35mm	10°
	3/8	3/8	1/4	54.525mm	13°
	1/2	1/2	1/4	2-1/4	28°
	5/8	3/4	1/4	2-1/2	18°
	3/4	5/8	1/4	2-3/8	30°



Burr Shape - Inverted Cone

Type N carbide burr is suitable for machining the chamfering of inside of workpiece.

# Oval Shape Rotary Burrs



## Metric Size

Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )
3.0	3.0	7.0	3.0	38.0
	5.0	8.0	3.0	46.0
	6.0	10.0	3.0	48.0
6.0	6.0	10.0	6.0	50.0
	8.0	13.0	6.0	58.0
	10.0	16.0	6.0	61.0
	12.0	20.0	6.0	65.0
	16.0	25.0	6.0	70.0
	19.0	25.0	6.0	70.0
8.0	12.0	20.0	8.0	65.0
	16.0	25.0	8.0	70.0
	19.0	25.0	8.0	70.0

## Inch Size


Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )
1/8	3/16	9/32	1/8	1-1/2
	1/4	3/8	1/8	1-8/9
1/4	1/4	3/8	1/4	64.05mm
	3/8	5/8	1/4	2-3/8
	1/2	7/8	1/4	2-5/8
	5/8	1	1/4	2-3/4
	3/4	1	1/4	2-3/4



Burr Shape - Oval Shape



Type E carbide burr is suitable for machining circular arc profile of workpiece.

# Ball Shape Rotary Burrs



Decimal	$d1$ † Diameter		$d2$ Shank Diameter	$l2$ Flute Length	$l4$ Shank Length	1-11	12-24	25-49	50-100
		Metric							
.1875	3/16"	4.763	1/4"	-	2"	11.25	10.76	10.27	9.78
.1875	3/16"	4.763	1/4"	-	2"	11.25	10.76	10.27	9.78
.2500	1/4"	6.350	1/4"	-	2"	11.25	10.76	10.27	9.78
.2500	1/4"	6.350	1/4"	-	2"	17.83	17.05	16.28	15.50
.2500	1/4"	6.350	1/4"	-	2"	11.25	10.76	10.27	9.78
.3125	5/16"	7.938	1/4"	-	1-3/4"	10.58	10.12	9.66	9.20
.3125	5/16"	7.938	1/4"	-	1-3/4"	10.58	10.12	9.66	9.20
.3750	3/8"	9.525	1/4"	-	1-3/4"	11.48	10.98	10.48	9.98
.3750	3/8"	9.525	1/4"	-	1-3/4"	18.57	17.77	16.96	16.15
.3750	3/8"	9.525	1/4"	-	1-3/4"	11.48	10.98	10.48	9.98
.4375	7/16"	11.113	1/4"	-	1-3/4"	16.68	15.95	15.23	14.50
.4375	7/16"	11.113	1/4"	-	1-3/4"	16.68	15.95	15.23	14.50
.5000	1/2"	12.700	1/4"	-	1-3/4"	17.22	16.47	15.72	14.97
.5000	1/2"	12.700	1/4"	-	1-3/4"	23.01	22.01	21.01	20.01
.5000	1/2"	12.700	1/4"	-	1-3/4"	17.22	16.47	15.72	14.97
.6250	5/8"	15.875	1/4"	-	1-3/4"	19.24	18.40	17.57	16.73
.6250	5/8"	15.875	1/4"	-	1-3/4"	39.82	38.09	36.36	34.63
.6250	5/8"	15.875	1/4"	-	1-3/4"	19.24	18.40	17.57	16.73
.7500	3/4"	19.050	1/4"	-	1-3/4"	27.40	26.21	25.02	23.83
.7500	3/4"	19.050	1/4"	-	1-3/4"	27.40	26.21	25.02	23.83
1.000	1"	25.400	1/4"	-	1-3/4"	50.82	48.61	46.40	44.19
1.000	1"	25.400	1/4"	-	1-3/4"	50.82	48.61	46.40	44.19

# Ball Nose Tree Shaped Rotary Burrs



Metric Size				
Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )
3.0	3.0	13.0	3.0	38.0
	5.0	13.0	3.0	51.0
	6.0	13.0	3.0	51.0
6.0	6.0	18.0	6.0	63.0
	8.0	20.0	6.0	65.0
	10.0	20.0	6.0	65.0
	11.0	25.0	6.0	70.0
	12.0	25.0	6.0	70.0
	16.0	25.0	6.0	70.0
	19.0	25.0	6.0	70.0
8.0	12.0	25.0	8.0	70.0
	16.0	25.0	8.0	70.0
	19.0	25.0	8.0	70.0


Inch Size				
Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )
1/8	1/8	1/2	1/8	1-1/2
	1/4	1/2	1/8	2
1/4	3/8	3/4	1/4	2-1/2
	7/16	1	1/4	2-3/4
	1/2	3/4	1/4	2-1/2
	1/2	1	1/4	2-3/4
	5/8	1	1/4	2-3/4
	3/4	1	1/4	2-3/4
	3/4	1-1/4	1/4	3
3/8	3/4	1-1/4	3/8	3-1/4



Burr Shape - Ball Nosed Tree

Type F carbide burr is suitable for machining circular arc profile of workpiece which in confined space.

# Ball Nose Cone Shaped Rotary Burrs



Metric Size					
Shank Diameter (in)	Cutter Diameter(d <sub>1</sub> )	Length of Cut(l <sub>2</sub> )	Shank Diameter(d <sub>2</sub> )	Overall Length(l <sub>1</sub> )	Included Angle a
3.0	3.0	13.0	3.0	38.0	8°
	5.0	13.0	3.0	38.0	10°
	6.0	13.0	3.0	48.0	10°
6.0	6.0	16.0	6.0	51.0	14°
	8.0	22.0	6.0	70.0	14°
	10.0	25.0	6.0	70.0	14°
	12.0	28.0	6.0	73.0	14°
	16.0	33.0	6.0	78.0	14°
	19.0	38.0	6.0	83.0	14°
8.0	12.0	28.0	8.0	73.0	14°
	16.0	33.0	8.0	78.0	14°
	19.0	38.0	8.0	83.0	14°


Inch Size					
Shank Diameter (in)	Cutter Diameter(d <sub>1</sub> )	Length of Cut(l <sub>2</sub> )	Shank Diameter(d <sub>2</sub> )	Overall Length(l <sub>1</sub> )	Included Angle a
1/8	1/8	1/2	1/8	1-1/2	8°
1/4	1/4	5/8	1/4	2	14°
	5/16	7/8	1/4	2-3/4	14°
	3/8	1-1/16	1/4	2-15/16	14°
	1/2	1-1/8	1/4	73.575MM	14°
	1/2	1-1/4	1/4	76.75MM	14°
	5/8	1-5/16	1/4	3-1/16	14°
	5/8	1-7/16	1/4	3-1/5	14°
	3/4	1-5/8	1/4	3-3/8	14°



Burr Shape - Ball Nose Cone

Type L carbide burr is suitable for machining narrow profile and surface profile of workpiece.

# Cone Shaped Rotary Burrs



## Metric Size

Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )	Included Angle $a$
3.0	3.0	11.0	3.0	38.0	14°
	5.0	13.0	3.0	51.0	14°
	6.0	13.0	3.0	51.0	14°
6.0	6.0	18.0	6.0	53.0	14°
	6.0	25.0	6.0	50.0	14°
	8.0	20.0	6.0	65.0	25°
	10.0	20.0	6.0	65.0	25°
	12.0	25.0	6.0	70.0	25°
	16.0	25.0	6.0	70.0	31°
8.0	12.0	25.0	8.0	70.0	25°
	16.0	25.0	8.0	70.0	31°

## Inch Size

Shank Diameter (in)	Cutter Diameter( $d_1$ )	Length of Cut( $l_2$ )	Shank Diameter( $d_2$ )	Overall Length( $l_1$ )	Included Angle $a$
1/8	1/8	7/16	1/8	1-1/2	14°
1/4	1/4	1/2	1/4	2	22°
	1/4	5/8	1/4	60.875MM	22°
	1/4	1	1/4	2	10°
	3/8	3/4	1/4	2-9/16	28°
	1/2	1	1/4	2-3/4	28°
	5/8	1	1/4	2-3/4	31°



Burr Shape - Cone Shape

Type M carbide burr is suitable for machining narrow profile and surface profile of workpiece.



# Tungsten Carbide Rotary Burrs Set



TC

10-piece set of tungsten carbide rotary burrs



2 x shape A, cylinder without end tothing Ø D1 10,0 / 12,0 mm

2 x shape C, oval Ø D1 10,0 / 12,0 mm

2 x shape G, tree Ø D1 10,0 / 12,0 mm

CT4

2 x shape F, ball nose tree Ø D1 10,0 / 12,0 mm

1 x shape M, cone Ø D1 12,0 mm

1 x shape D, ball type Ø D1 12,0 mm

TC

10-piece set of tungsten carbide rotary burrs

2 x shape A, cylinder without end tothing Ø D1 10,0 / 12,0 mm

TiCN

2 x shape C, oval Ø D1 10,0 / 12,0 mm

2 x shape G, tree Ø D1 10,0 / 12,0 mm

CT4

2 x shape F, ball nose tree Ø D1 10,0 / 12,0 mm

1 x shape M, cone Ø D1 12,0 mm

1 x shape D, ball type Ø D1 12,0 mm

TC

10-piece set of tungsten carbide rotary burrs

2 x shape B, cylinder with end tothing Ø D1 6,0 / 12,0 mm



2 x shape C, oval Ø D1 6,0 / 12,0 mm

2 x shape G, tree Ø D1 6,0 / 12,0 mm

ALU

2 x shape F, ball nose tree Ø D1 6,0 / 12,0 mm

2 x shape D, ball type Ø D1 6,0 / 12,0 mm

DIC - INDIA  
**DEDICATED IMPEX CO.**

D - 189, Industrial Focal Point, Patiala  
147003 Punjab, India  
info@dictoolsindia.com  
+91-95922-28222

DIC - UAE  
**DEDICATED IMPEX FZE**

B.C. 1303260, Ajman Free Zone,  
P.O. BOX: 47359, Ajman, UAE  
info@dictoolsindia.com  
(+971) 556721577

**DiCTOOLS**

*A Brand by Dedicated Impex Co.*